

Libri:

1. Capitoli 297, 299, 301, 306, 307, 309 in Textbook of Veterinary Internal Medicine. 8th edn. Eds. S. Ettinger, E. Feldman and E. Cote. Elsevier Saunders, St. Louis, 2017.
2. Capitoli 3, 4, 10, 11, 12 e 15 del libro Canine and Feline endocrinology. 4th edn. Eds. E. Feldman, RW Nelson, CE. Reusch, JCR Scott-Moncrieff. Elsevier Saunders, St. Louis, 2015
3. Capitoli 6, 8, 9, 15, 16, 17, 19, 21 in BSAVA Manual of Endocrinology. 4th edn. Eds. Mooney and Peterson. BSAVA, 2012.
4. Sezioni 2, 3 and 4 in Feline endocrinology. Eds. E. Feldman, F. Fracassi, M. Peterson. Edra, Italy, 2019.

Articoli:

Sindrome di Cushing

Alenza DP, Arenas C, Lopez ML, Melian C. Long-term efficacy of trilostane administered twice daily in dogs with pituitary-dependent hyperadrenocorticism. J Am Anim Hosp Assoc. 2006 Jul-Aug;42(4):269-76. doi: 10.5326/0420269. PMID: 16822765.

Appleman E, Schrage A, Lamb KE, Langston C. Evaluation of Iatrogenic Hypocortisolemia Following Trilostane Therapy in 48 Dogs with Pituitary-Dependent Hyperadrenocorticism. J Am Anim Hosp Assoc. 2021 Sep 1;57(5):217-224. doi: 10.5326/JAAHA-MS-7076. PMID: 34370857.

Arenas Bermejo C, Pérez Alenza D, García San José P, Llaudet L, Pérez-López L, Melián C, C Feldman E. Laboratory assessment of trilostane treatment in dogs with pituitary-dependent hyperadrenocorticism. J Vet Intern Med. 2020 Jul;34(4):1413-1422. doi: 10.1111/jvim.15830. Epub 2020 Jun 13. PMID: 32533623; PMCID: PMC7379015.

Arenas C, Melián C, Pérez-Alenza MD. Long-term survival of dogs with adrenal-dependent hyperadrenocorticism: a comparison between mitotane and twice daily trilostane treatment. J Vet Intern Med. 2014 Mar-Apr;28(2):473-80. doi: 10.1111/jvim.12303. Epub 2014 Feb 3. PMID: 24495125; PMCID: PMC4858016.

Arenas C, Melián C, Pérez-Alenza MD. Evaluation of 2 trilostane protocols for the treatment of canine pituitary-dependent hyperadrenocorticism: twice daily versus once daily. J Vet Intern Med. 2013 Nov-Dec;27(6):1478-85. doi: 10.1111/jvim.12207. Epub 2013 Sep 30. PMID: 24118316.

Barker, E.N., Campbell, S., Tebb, A.J., Neiger, R., Herrtage, M.E., Reid, S.W., Ramsey, I.K., 2005. A comparison of the survival times of dogs treated with mitotane or trilostane for pituitary-dependent hyperadrenocorticism. J Vet Intern Med 19, 810-815

Bell, R., Neiger, R., McGrotty, Y., Ramsey, I.K., 2006. Study of the effects of once daily doses of trilostane on cortisol concentrations and responsiveness to adrenocorticotrophic hormone in hyperadrenocorticoid dogs. Vet Rec 159, 277-281.

Helm, J.R., McLauchlan, G., Boden, L.A., Frowde, P.E., Collings, A.J., Tebb, A.J., Elwood, C.M., Herrtage, M.E., Parkin, T.D., Ramsey, I.K., 2011. A comparison of factors that influence survival in dogs with adrenal-dependent hyperadrenocorticism treated with mitotane or trilostane. J Vet Intern Med 25, 251-260.

Boretti, F.S., Holzthüm, J., Reusch, C.E., Sieber-Ruckstuhl, N.S., 2016. Lack of association between clinical signs and laboratory parameters in dogs with hyperadrenocorticism before and during trilostane treatment. Schweiz Arch Tierheilkd 158, 631-638.

Clemente, M., De Andrés, P.J., Arenas, C., Melián, C., Morales, M., Pérez-Alenza, M.D., 2007. Comparison of non-selective adrenocorticolysis with mitotane or trilostane for the treatment of dogs with pituitary-dependent hyperadrenocorticism. *Vet Rec* 161, 805-809.

Midence, J.N., Drobatz, K.J., Hess, R.S., 2015. Cortisol Concentrations in Well-Regulated Dogs with Hyperadrenocorticism Treated with Trilostane. *J Vet Intern Med* 29, 1529-1533.

Nagata, N., Kojima, K., Yuki, M., 2017. Comparison of Survival Times for Dogs with Pituitary-Dependent Hyperadrenocorticism in a Primary-Care Hospital: Treated with Trilostane versus Untreated. *J Vet Intern Med* 31, 22-28.

Reusch, C.E., Sieber-Ruckstuhl, N., Wenger, M., Lutz, H., Perren, A., Pospischil, A., 2007. Histological evaluation of the adrenal glands of seven dogs with hyperadrenocorticism treated with trilostane. *Vet Rec* 160, 219-224.

Wehner, A., Glöckner, S., Weiss, B., Ballhausen, D., Stockhaus, C., Zablotzki, Y., Hartmann, K., 2021. Association between ACTH stimulation test results and clinical signs in dogs with hyperadrenocorticism treated with trilostane. *Vet J*, 105740.

Boland LA, Barrs VR. Peculiarities of feline hyperadrenocorticism: Update on diagnosis and treatment. *J Feline Med Surg*. 2017 Sep;19(9):933-947. doi: 10.1177/1098612X17723245. Erratum in: *J Feline Med Surg*. 2018 Aug;20(8):NP5. PMID: 28838299.

Bennaim M, Shiel RE, Mooney CT. Diagnosis of spontaneous hyperadrenocorticism in dogs. Part 1: Pathophysiology, aetiology, clinical and clinicopathological features. *Vet J*. 2019 Oct;252:105342. doi: 10.1016/j.tvjl.2019.105342. Epub 2019 Jul 23. PMID: 31554593.

Bennaim M, Shiel RE, Mooney CT. Diagnosis of spontaneous hyperadrenocorticism in dogs. Part 2: Adrenal function testing and differentiating tests. *Vet J*. 2019 Oct;252:105343. doi: 10.1016/j.tvjl.2019.105343. Epub 2019 Jul 27. PMID: 31554584.

Ipadrenocortismo

Baumstark ME, Sieber-Ruckstuhl NS, Müller C, Wenger M, Boretti FS, Reusch CE. Evaluation of aldosterone concentrations in dogs with hypoadrenocorticism. *J Vet Intern Med*. 2014 Jan-Feb;28(1):154-9. doi: 10.1111/jvim.12243. Epub 2013 Nov 15. PMID: 24428320; PMCID: PMC4895548.

Graves TK, Schall WD, Refsal K, Nachreiner RF. Basal and ACTH-stimulated plasma aldosterone concentrations are normal or increased in dogs with trichuriasis-associated pseudohypoadrenocorticism. *J Vet Intern Med*. 1994 Jul-Aug;8(4):287-9. doi: 10.1111/j.1939-1676.1994.tb03234.x. PMID: 7983625.

Hoerauf A, Reusch C. Ultrasonographic evaluation of the adrenal glands in six dogs with hypoadrenocorticism. *J Am Anim Hosp Assoc*. 1999 May-Jun;35(3):214-8. doi: 10.5326/15473317-35-3-214. PMID: 10333259.

Javadi S, Galac S, Boer P, Robben JH, Teske E, Kooistra HS. Aldosterone-to-renin and cortisol-to-adrenocorticotrophic hormone ratios in healthy dogs and dogs with primary hypoadrenocorticism. *J Vet Intern Med*. 2006 May-Jun;20(3):556-61. doi: 10.1892/0891-6640(2006)20[556:aachri]2.0.co;2. PMID: 16734089.

Kaplan AJ, Peterson ME, Kemppainen RJ. Effects of disease on the results of diagnostic tests for use in detecting hyperadrenocorticism in dogs. *J Am Vet Med Assoc*. 1995 Aug 15;207(4):445-51. PMID: 7591942.

Lathan P, Scott-Moncrieff JC, Wills RW. Use of the cortisol-to-ACTH ratio for diagnosis of primary hypoadrenocorticism in dogs. *J Vet Intern Med.* 2014 Sep-Oct;28(5):1546-50. doi: 10.1111/jvim.12392. Epub 2014 Jun 25. PMID: 24966067; PMCID: PMC4895572.

Thompson AL, Scott-Moncrieff JC, Anderson JD. Comparison of classic hypoadrenocorticism with glucocorticoid-deficient hypoadrenocorticism in dogs: 46 cases (1985–2005). *J Am Vet Med Assoc.* 2007; 230:1190–1194.

Javadi S, Galac S, Boer P, et al. Aldosterone-to-renin and cortisol-to-adrenocorticotrophic hormone ratios in healthy dogs and dogs with primary hypoadrenocorticism. *J Vet Intern Med.* 2006; 20(3):556-61.

Boretti FS, Meyer F, Burkhardt WA, et al. Evaluation of the Cortisol-to-ACTH Ratio in Dogs with hypoadrenocorticism, Dogs with Diseases Mimicking Hypoadrenocorticism and in Healthy Dogs. *J Vet Intern Med.* 2015; 29(5):1335-1341

Lennon EM, Boyle TE, Hutchins RG, et al. Use of basal serum or plasma cortisol concentrations to rule out a diagnosis of hypoadrenocorticism in dogs: 123 cases (2000–2005). *J Am Vet Med Assoc.* 2007; 231:413–416.

Bovens C, Tennant K, Reeve J, et al. Basal serum cortisol concentration as a screening test for hypoadrenocorticism in dogs. *J Vet Intern Med.* 2014; 28:1541–1545.

Del Baldo F, Gerou Ferriani M, Bertazzolo W, Luciani M, Tardo AM, Fracassi F. Urinary cortisol-creatinine ratio in dogs with hypoadrenocorticism. *J Vet Intern Med.* 2022 Mar;36(2):482-487. doi: 10.1111/jvim.16358. Epub 2022 Feb 11. PMID: 35150029; PMCID: PMC8965274.

Gold AJ, Langlois DK, Refsal KL. Evaluation of Basal Serum or Plasma Cortisol Concentrations for the Diagnosis of Hypoadrenocorticism in Dogs. *J Vet Intern Med.* 2016; 30:1798–1805.

Hauck C, Schmitz SS, Burgener IA, et al. Prevalence and characterization of hypoadrenocorticism in dogs with signs of chronic gastrointestinal disease: A multicenter study. *J Vet Intern Med.* 2020; 34(4):1399-1405.

Behrend EN, Kooistra HS, Nelson R, et al. Diagnosis of spontaneous canine hyperadrenocorticism: 2012 ACVIM consensus statement (small animal). *J Vet Intern Med.* 2013; 27(6):1292-304.

Bates JA, Shott S, Schall WD. Lower initial dose desoxycorticosterone pivalate for treatment of canine primary hypoadrenocorticism. *Aust Vet J.* 2013 Mar;91(3):77-82; discussion 81-2.

Baumstark ME, Nussberger J, Boretti FS, Baumstark MW, Riond B, Reusch CE, Sieber-Ruckstuhl NS. Use of plasma renin activity to monitor mineralocorticoid treatment in dogs with primary hypoadrenocorticism: desoxycorticosterone versus fludrocortisone. *J Vet Intern Med.* 2014 Sep-Oct;28(5):1471-8.

Brady CA, Vite CH, Drobatz KJ. Severe neurologic sequelae in a dog after treatment of hypoadrenal crisis. *J Am Vet Med Assoc.* 1999 Jul 15;215(2):222-5, 210.

Churcher RK, Watson AD, Eaton A. Suspected myelinolysis following rapid correction of hyponatremia in a dog. *J Am Anim Hosp Assoc.* 1999 Nov-Dec;35(6):493-7.

Jaffey JA, Nurre P, Cannon AB, DeClue AE. Desoxycorticosterone Pivalate Duration of Action and Individualized Dosing Intervals in Dogs with Primary Hypoadrenocorticism. *J Vet Intern Med.* 2017 Nov;31(6):1649-1657. doi: 10.1111/jvim.14828.

MacMillan KL. Neurologic complications following treatment of canine hypoadrenocorticism. *Can Vet J.* 2003 Jun;44(6):490-2.

Sieber-Ruckstuhl NS, Reusch CE, Hofer-Inteeworn N, Kuemmerle-Fraune C, Müller C, Hofmann-Lehmann R, Boretti FS. Evaluation of a low-dose desoxycorticosterone pivalate treatment protocol for long-term management of dogs with primary hypoadrenocorticism. *J Vet Intern Med.* 2019 May;33(3):1266-1271.

Vincent AM, Okonkowski LK, Brudvig JM, Refsal KR, Berghoff N, Olivier NB, Langlois DK. Low-dose desoxycorticosterone pivalate treatment of hypoadrenocorticism in dogs: A randomized controlled clinical trial. *J Vet Intern Med.* 2021 Jul;35(4):1720-1728.

Ipotiroidismo

Boretti FS, Sieber-Ruckstuhl NS, Favrot C, Lutz H, Hofmann-Lehmann R, Reusch CE. Evaluation of recombinant human thyroid-stimulating hormone to test thyroid function in dogs suspected of having hypothyroidism. *Am J Vet Res.* 2006 Dec;67(12):2012-6. doi: 10.2460/ajvr.67.12.2012. PMID: 17144802.

Boretti FS, Sieber-Ruckstuhl NS, Wenger-Riggenbach B, Gerber B, Lutz H, Hofmann-Lehmann R, Reusch CE. Comparison of 2 doses of recombinant human thyrotropin for thyroid function testing in healthy and suspected hypothyroid dogs. *J Vet Intern Med.* 2009 Jul-Aug;23(4):856-61. doi: 10.1111/j.1939-1676.2009.0336.x. PMID: 19566850.

Brömel C, Pollard RE, Kass PH, Samii VF, Davidson AP, Nelson RW. Ultrasonographic evaluation of the thyroid gland in healthy, hypothyroid, and euthyroid Golden Retrievers with nonthyroidal illness. *J Vet Intern Med.* 2005 Jul-Aug;19(4):499-506. doi: 10.1892/0891-6640(2005)19[499:ueottg]2.0.co;2. PMID: 16095166.

Dixon RM, Reid SW, Mooney CT. Treatment and therapeutic monitoring of canine hypothyroidism. *J Small Anim Pract.* 2002 Aug;43(8):334-40. doi: 10.1111/j.1748-5827.2002.tb00082.x. PMID: 12201441.

Dodgson SE, Day R, Fyfe JC. Congenital hypothyroidism with goiter in Tenterfield terriers. *J Vet Intern Med.* 2012 Nov-Dec;26(6):1350-7. doi: 10.1111/j.1939-1676.2012.01015.x. Epub 2012 Nov 1. PMID: 23113744.

Ferguson DC. Testing for hypothyroidism in dogs. *Vet Clin North Am Small Anim Pract.* 2007 Jul;37(4):647-69, v. doi: 10.1016/j.cvsm.2007.05.015. PMID: 17619004.

Ford SL, Nelson RW, Feldman EC, Niwa D. Insulin resistance in three dogs with hypothyroidism and diabetes mellitus. *J Am Vet Med Assoc.* 1993 May 1;202(9):1478-80. PMID: 8496104.

Gaskill CL, Burton SA, Gelens HC, Ihle SL, Miller JB, Shaw DH, Brimacombe MB, Cribb AE. Effects of phenobarbital treatment on serum thyroxine and thyroid-stimulating hormone concentrations in epileptic dogs. *J Am Vet Med Assoc.* 1999 Aug 15;215(4):489-96. PMID: 10461631.

Gaughan KR, Bruyette DS. Thyroid function testing in Greyhounds. *Am J Vet Res.* 2001 Jul;62(7):1130-3. doi: 10.2460/ajvr.2001.62.1130. PMID: 11453491.

Frank LA, Hnilica KA, May ER, Sargent SJ, Davis JA. Effects of sulfamethoxazole-trimethoprim on thyroid function in dogs. *Am J Vet Res.* 2005 Feb;66(2):256-9. doi: 10.2460/ajvr.2005.66.256. PMID: 15757124.

- Hofer-Inteeworn N, Panciera DL, Monroe WE, Saker KE, Davies RH, Refsal KR, Kemnitz JW. Effect of hypothyroidism on insulin sensitivity and glucose tolerance in dogs. *Am J Vet Res.* 2012 Apr;73(4):529-38. doi: 10.2460/ajvr.73.4.529. PMID: 22452500.
- Kantrowitz LB, Peterson ME, Melián C, Nichols R. Serum total thyroxine, total triiodothyronine, free thyroxine, and thyrotropin concentrations in dogs with nonthyroidal disease. *J Am Vet Med Assoc.* 2001 Sep 15;219(6):765-9. doi: 10.2460/javma.2001.219.765. PMID: 11561650.
- Mooney CT, Shiel RE, Dixon RM. Thyroid hormone abnormalities and outcome in dogs with non-thyroidal illness. *J Small Anim Pract.* 2008 Jan;49(1):11-6. doi: 10.1111/j.1748-5827.2007.00418.x. Epub 2007 Sep 3. PMID: 17784933.
- Nachreiner RF, Refsal KR, Graham PA, Bowman MM. Prevalence of serum thyroid hormone autoantibodies in dogs with clinical signs of hypothyroidism. *J Am Vet Med Assoc.* 2002 Feb 15;220(4):466-71. doi: 10.2460/javma.2002.220.466. PMID: 11860240.
- Panakova L, Koch H, Kolb S, Mueller RS. Thyroid testing in Sloughis. *J Vet Intern Med.* 2008 Sep-Oct;22(5):1144-8. doi: 10.1111/j.1939-1676.2008.0155.x. Epub 2008 Aug 4. PMID: 18681922.
- Panciera DL. Conditions associated with canine hypothyroidism. *Vet Clin North Am Small Anim Pract.* 2001 Sep;31(5):935-50. PMID: 11570133.
- Panciera DL, Refsal KR, Sennello KA, Ward DL. Effects of deracoxib and aspirin on serum concentrations of thyroxine, 3,5,3'-triiodothyronine, free thyroxine, and thyroid-stimulating hormone in healthy dogs. *Am J Vet Res.* 2006 Apr;67(4):599-603. doi: 10.2460/ajvr.67.4.599. PMID: 16579752.
- Peterson ME, Melián C, Nichols R. Measurement of serum total thyroxine, triiodothyronine, free thyroxine, and thyrotropin concentrations for diagnosis of hypothyroidism in dogs. *J Am Vet Med Assoc.* 1997 Dec 1;211(11):1396-402. PMID: 9394888.
- Piechotta M, Arndt M, Hoppen HO. Autoantibodies against thyroid hormones and their influence on thyroxine determination with chemiluminescence immunoassay in dogs. *J Vet Sci.* 2010 Sep;11(3):191-6. doi: 10.4142/jvs.2010.11.3.191. PMID: 20706025; PMCID: PMC2924479.
- Ramsey IK, Evans H, Herrtage ME. Thyroid-stimulating hormone and total thyroxine concentrations in euthyroid, sick euthyroid and hypothyroid dogs. *J Small Anim Pract.* 1997 Dec;38(12):540-5. doi: 10.1111/j.1748-5827.1997.tb03313.x. PMID: 9444634.
- Reese S, Breyer U, Deeg C, Kraft W, Kaspers B. Thyroid sonography as an effective tool to discriminate between euthyroid sick and hypothyroid dogs. *J Vet Intern Med.* 2005 Jul-Aug;19(4):491-8. doi: 10.1892/0891-6640(2005)19[491:tssae]2.0.co;2. PMID: 16095165.
- Schachter S, Nelson RW, Scott-Moncrieff C, Ferguson DC, Montgomery T, Feldman EC, Neal L, Kass PH. Comparison of serum-free thyroxine concentrations determined by standard equilibrium dialysis, modified equilibrium dialysis, and 5 radioimmunoassays in dogs. *J Vet Intern Med.* 2004 May-Jun;18(3):259-64. doi: 10.1892/0891-6640(2004)18<259:costcd>2.0.co;2. PMID: 15188809.
- Shiel RE, Pinilla M, McAllister H, Mooney CT. Assessment of the value of quantitative thyroid scintigraphy for determination of thyroid function in dogs. *J Small Anim Pract.* 2012 May;53(5):278-85. doi: 10.1111/j.1748-5827.2011.01205.x. PMID: 22533320.

Ipertiroidismo

- Mooney CT. Pathogenesis of feline hyperthyroidism. *J Feline Med Surg.* 2002 Sep;4(3):167-9. doi: 10.1053/jfms.2002.0177. PMID: 12360956.

van Hoek I, Hesta M, Biourge V. A critical review of food-associated factors proposed in the etiology of feline hyperthyroidism. *J Feline Med Surg*. 2015 Oct;17(10):837-47. doi: 10.1177/1098612X14556558. Epub 2014 Nov 3. PMID: 25366172.

Peterson M. Hyperthyroidism in cats: what's causing this epidemic of thyroid disease and can we prevent it? *J Feline Med Surg*. 2012 Nov;14(11):804-18. doi: 10.1177/1098612X12464462. PMID: 23087006.

Peterson ME. More than just T₄: diagnostic testing for hyperthyroidism in cats. *J Feline Med Surg*. 2013 Sep;15(9):765-77. doi: 10.1177/1098612X13500426. PMID: 23966003.

Shiel RE, Mooney CT. Testing for hyperthyroidism in cats. *Vet Clin North Am Small Anim Pract*. 2007 Jul;37(4):671-91, vi. doi: 10.1016/j.cvsm.2007.03.006. PMID: 17619005.

Peterson ME, Melián C, Nichols R. Measurement of serum concentrations of free thyroxine, total thyroxine, and total triiodothyronine in cats with hyperthyroidism and cats with nonthyroidal disease. *J Am Vet Med Assoc*. 2001 Feb 15;218(4):529-36. doi: 10.2460/javma.2001.218.529. PMID: 11229503.

Wakeling J, Moore K, Elliott J, Syme H. Diagnosis of hyperthyroidism in cats with mild chronic kidney disease. *J Small Anim Pract*. 2008 Jun;49(6):287-94. doi: 10.1111/j.1748-5827.2008.00544.x. Epub 2008 Apr 16. PMID: 18422499.

Peterson ME, Guterl JN, Nichols R, Rishniw M. Evaluation of Serum Thyroid-Stimulating Hormone Concentration as a Diagnostic Test for Hyperthyroidism in Cats. *J Vet Intern Med*. 2015 Sep-Oct;29(5):1327-34. doi: 10.1111/jvim.13585. Epub 2015 Jul 20. PMID: 26192742; PMCID: PMC4858046.

Trepanier LA. Pharmacologic management of feline hyperthyroidism. *Vet Clin North Am Small Anim Pract*. 2007 Jul;37(4):775-88, vii. doi: 10.1016/j.cvsm.2007.03.004. PMID: 17619011.

Peterson ME. Radioiodine treatment of hyperthyroidism. *Clin Tech Small Anim Pract*. 2006 Feb;21(1):34-9. doi: 10.1053/j.ctsap.2005.12.006. PMID: 16584029.

Daminet S, Kooistra HS, Fracassi F, Graham PA, Hibbert A, Lloret A, Mooney CT, Neiger R, Rosenberg D, Syme HM, Villard I, Williams G. Best practice for the pharmacological management of hyperthyroid cats with antithyroid drugs. *J Small Anim Pract*. 2014 Jan;55(1):4-13. doi: 10.1111/jsap.12157. Epub 2013 Dec 27. Erratum in: *J Small Anim Pract*. 2014 Mar;55(3):179. PMID: 24372075.

Hui TY, Bruyette DS, Moore GE, Scott-Moncrieff JC. Effect of Feeding an Iodine-Restricted Diet in Cats with Spontaneous Hyperthyroidism. *J Vet Intern Med*. 2015 Jul-Aug;29(4):1063-8. doi: 10.1111/jvim.13368. Epub 2015 Jun 17. PMID: 26081922; PMCID: PMC4895365.

Milner RJ, Channell CD, Levy JK, Schaer M. Survival times for cats with hyperthyroidism treated with iodine 131, methimazole, or both: 167 cases (1996-2003). *J Am Vet Med Assoc*. 2006 Feb 15;228(4):559-63. doi: 10.2460/javma.228.4.559. PMID: 16478432.

Grossi G, Zoia A, Palagiano P, Leoni N, Bubini-Regini F, Malerba E, Peli A, Biagi G, Fracassi F. Iodine-restricted food versus pharmacological therapy in the management of feline hyperthyroidism: A controlled trial in 34 cats. *Open Vet J*. 2019 Oct;9(3):196-204. doi: 10.4314/ovj.v9i3.3. Epub 2019 Jul 24. PMID: 31998612; PMCID: PMC6794403.

Jepson RE. Feline systemic hypertension: Classification and pathogenesis. *J Feline Med Surg*. 2011 Jan;13(1):25-34. doi: 10.1016/j.jfms.2010.11.007. PMID: 21215946.

Peterson ME, Li A, Soboroff P, Bilbrough GE, Rishniw M. Hyperthyroidism is not a risk factor for subclinical bacteriuria in cats: A prospective cohort study. *J Vet Intern Med.* 2020 May;34(3):1157-1165. doi: 10.1111/jvim.15769. Epub 2020 Apr 11. PMID: 32277782; PMCID: PMC7255671.

Carney HC, Ward CR, Bailey SJ, Bruyette D, Dennis S, Ferguson D, Hinc A, Rucinsky AR. 2016 AAFP Guidelines for the Management of Feline Hyperthyroidism. *J Feline Med Surg.* 2016 May;18(5):400-16. doi: 10.1177/1098612X16643252. PMID: 27143042.

Reynolds BS, Lefebvre HP. Feline CKD: Pathophysiology and risk factors--what do we know? *J Feline Med Surg.* 2013 Sep;15 Suppl 1:3-14. doi: 10.1177/1098612X13495234. PMID: 23999182.

Vaske HH, Schermerhorn T, Grauer GF. Effects of feline hyperthyroidism on kidney function: a review. *J Feline Med Surg.* 2016 Feb;18(2):55-9. doi: 10.1177/1098612X15575385. Epub 2015 Mar 6. PMID: 25749888.

Becker TJ, Graves TK, Kruger JM, Braselton WE, Nachreiner RF. Effects of methimazole on renal function in cats with hyperthyroidism. *J Am Anim Hosp Assoc.* 2000 May-Jun;36(3):215-23. doi: 10.5326/15473317-36-3-215. PMID: 10825092.

Yu L, Lacorcchia L, Finch S, Johnstone T. Assessment of serum symmetric dimethylarginine and creatinine concentrations in hyperthyroid cats before and after a fixed dose of orally administered radioiodine. *J Vet Intern Med.* 2020 Jul;34(4):1423-1431. doi: 10.1111/jvim.15831. Epub 2020 Jun 7. PMID: 32506701; PMCID: PMC7379014.

Ramspott S, Hartmann K, Sauter-Louis C, Weber K, Wehner A. Adrenal function in cats with hyperthyroidism. *J Feline Med Surg.* 2012 Apr;14(4):262-6. doi: 10.1177/1098612X11435893. Epub 2012 Jan 16. PMID: 22373912.

Peterson ME, Broome MR. Thyroid scintigraphy findings in 2096 cats with hyperthyroidism. *Vet Radiol Ultrasound.* 2015 Jan-Feb;56(1):84-95. doi: 10.1111/vru.12165. Epub 2014 May 2. PMID: 24798491.

Watson N, Murray JK, Fonfara S, Hibbert A. Clinicopathological features and comorbidities of cats with mild, moderate or severe hyperthyroidism: a radioiodine referral population. *J Feline Med Surg.* 2018 Dec;20(12):1130-1137. doi: 10.1177/1098612X18755925. Epub 2018 Feb 12. PMID: 29432704.

Xifra P, Serrano SI, Peterson ME. Radioiodine treatment of hyperthyroidism in cats: results of 165 cats treated by an individualised dosing algorithm in Spain. *J Feline Med Surg.* 2022 Aug;24(8):e258-e268. doi: 10.1177/1098612X221104743. Epub 2022 Jun 24. PMID: 35748791.

Naan EC, Kirpensteijn J, Kooistra HS, Peeters ME. Results of thyroidectomy in 101 cats with hyperthyroidism. *Vet Surg.* 2006 Apr;35(3):287-93. doi: 10.1111/j.1532-950X.2006.00146.x. PMID: 16635010.

Peterson ME. Hyperthyroidism in Cats: Considering the Impact of Treatment Modality on Quality of Life for Cats and Their Owners. *Vet Clin North Am Small Anim Pract.* 2020 Sep;50(5):1065-1084. doi: 10.1016/j.cvsm.2020.06.004. Epub 2020 Jul 11. PMID: 32665137.

Peterson ME, Rishniw M. Predicting outcomes in hyperthyroid cats treated with radioiodine. *J Vet Intern Med.* 2022 Jan;36(1):49-58. doi: 10.1111/jvim.16319. Epub 2021 Nov 24. PMID: 34817910; PMCID: PMC8783366.

Peterson ME, Broome MR, Rishniw M. Prevalence and degree of thyroid pathology in hyperthyroid cats increases with disease duration: a cross-sectional analysis of 2096 cats referred for radioiodine therapy. *J Feline Med Surg.* 2016 Feb;18(2):92-103. doi: 10.1177/1098612X15572416. Epub 2015 Feb 11. PMID: 25673019.

Iperparatiroidismo I

Feldman EC, Hoar B, Pollard R, Nelson RW. Pretreatment clinical and laboratory findings in dogs with primary hyperparathyroidism: 210 cases (1987-2004). *J Am Vet Med Assoc.* 2005 Sep 1;227(5):756-61. doi: 10.2460/javma.2005.227.756. PMID: 16178397.

Pollard RE, Long CD, Nelson RW, Hornof WJ, Feldman EC. Percutaneous ultrasonographically guided radiofrequency heat ablation for treatment of primary hyperparathyroidism in dogs. *J Am Vet Med Assoc.* 2001 Apr 1;218(7):1106-10. doi: 10.2460/javma.2001.218.1106. PMID: 11318360.

Long CD, Goldstein RE, Hornof WJ, Feldman EC, Nyland TG. Percutaneous ultrasound-guided chemical parathyroid ablation for treatment of primary hyperparathyroidism in dogs. *J Am Vet Med Assoc.* 1999 Jul 15;215(2):217-21. PMID: 10416475.

Wisner ER, Penninck D, Biller DS, Feldman EC, Drake C, Nyland TG. High-resolution parathyroid sonography. *Vet Radiol Ultrasound.* 1997 Nov-Dec;38(6):462-6. doi: 10.1111/j.1740-8261.1997.tb00872.x. PMID: 9402714.

Armstrong AJ, Hauptman JG, Stanley BJ, Klocke E, Burneko M, Holt DE, Runge JJ, Rubin JA. Effect of Prophylactic Calcitriol Administration on Serum Ionized Calcium Concentrations after Parathyroidectomy: 78 Cases (2005-2015). *J Vet Intern Med.* 2018 Jan;32(1):99-106. doi: 10.1111/jvim.15028. Epub 2017 Dec 27. PMID: 29280194; PMCID: PMC5787196.

Arbaugh M, Smeak D, Monnet E. Evaluation of preoperative serum concentrations of ionized calcium and parathyroid hormone as predictors of hypocalcemia following parathyroidectomy in dogs with primary hyperparathyroidism: 17 cases (2001-2009). *J Am Vet Med Assoc.* 2012 Jul 15;241(2):233-6. doi: 10.2460/javma.241.2.233. PMID: 22765370.

Dear JD, Kass PH, Della Maggiore AM, Feldman EC. Association of Hypercalcemia Before Treatment With Hypocalcemia After Treatment in Dogs With Primary Hyperparathyroidism. *J Vet Intern Med.* 2017 Mar;31(2):349-354. doi: 10.1111/jvim.14644. Epub 2017 Feb 18. PMID: 28213926; PMCID: PMC5354003.

Milovancev M, Schmiedt CW. Preoperative factors associated with postoperative hypocalcemia in dogs with primary hyperparathyroidism that underwent parathyroidectomy: 62 cases (2004-2009). *J Am Vet Med Assoc.* 2013 Feb 15;242(4):507-15. doi: 10.2460/javma.242.4.507. PMID: 23363283.

de Brito Galvão JF, Schenck PA, Chew DJ. A Quick Reference on Hypercalcemia. *Vet Clin North Am Small Anim Pract.* 2017 Mar;47(2):241-248. doi: 10.1016/j.cvsm.2016.10.016. Epub 2016 Dec 22. PMID: 28012787.

Guttin T, Knox VW 4th, Diroff JS. Outcomes for dogs with primary hyperparathyroidism following treatment with percutaneous ultrasound-guided ethanol ablation of presumed functional parathyroid nodules: 27 cases (2008-2011). *J Am Vet Med Assoc.* 2015 Oct 1;247(7):771-7. doi: 10.2460/javma.247.7.771. PMID: 26383753.

Messinger JS, Windham WR, Ward CR. Ionized hypercalcemia in dogs: a retrospective study of 109 cases (1998-2003). *J Vet Intern Med.* 2009 May-Jun;23(3):514-9. doi: 10.1111/j.1939-1676.2009.0288.x. PMID: 19658207.

Goldstein RE, Atwater DZ, Cazolli DM, Goldstein O, Wade CM, Lindblad-Toh K. Inheritance, mode of inheritance, and candidate genes for primary hyperparathyroidism in Keeshonden. *J Vet Intern Med.* 2007 Jan-Feb;21(1):199-203. doi: 10.1892/0891-6640(2007)21[199:imoiac]2.0.co;2. PMID: 17338170.